IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Application No. 10/802,220

Confirmation No. 3562

Applicant: Uemoto

Filed: March 17, 2004

TC/AU: 1628

Examiner: Pagonakis, A.

Docket No.: 227833

Customer No.: 23460

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

DECLARATION UNDER 37 C.F.R. § 1.131 OF YOSHIFUMI UEMOTO

Sir:

- I, Yoshifumi Uemoto, do hereby declare:
- 1. I am the inventor of the subject matter disclosed and claimed in the aboveidentified patent application ("the present invention").
- 2. A pharmaceutical composition comprising (i) a cholesteryl ester transfer protein inhibitor that is S-[2-([[1-(2-ethylbutyl)cyclohexyl]carbonyl]amino)phenyl] 2-methylpropanethioate (JTT-705) and (ii) crospovidone was conceived of and reduced to practice prior to June 21, 2001. Further, a pharmaceutical composition comprising (i) a substantially crystalline cholesteryl ester transfer protein inhibitor that is JTT-705, in which the amount of inhibitor in amorphous form does not exceed about 10% and (ii) a water-insoluble concentration-enhancing additive was conceived of and reduced to practice prior to June 21, 2001.
- 3. As merely an example of both the conception and reduction to practice of these compositions, Exhibits A and B are attached to this Declaration.

- 4. Exhibits A and B are true and accurate copies of documents prepared before June 21, 2001. Dates and information irrelevant to the purposes of this Declaration have been reducted from Exhibits A and B as attached hereto.
- 5. Exhibits A and B report on the preparation of pharmaceutical compositions comprising (i) JTT-705 and (ii) crospovidone. In particular, Exhibit A reports on the preparation of a 100 mg dosage tablet comprising 100.000 mg JTT-705 (cholesteryl ester transfer protein inhibitor), a sufficient quantity of crospovidone (water-insoluble concentration-enhancing additive), 6.000 mg hydroxypropylmethyl cellulose 2910 (binder), 116.747 mg lactose (diluent), 175.120 mg microcrystalline cellulose (diluent), 90.000 mg low substituted hydroxypropyl cellulose (disintegrant), 18.000 mg talc (lubricant), and 1.200 mg magnesium stearate (lubricant). Similarly, Exhibit B reports on the preparation of a 300 mg dosage tablet comprising 300.000 mg JTT-705 (cholesteryl ester transfer protein inhibitor), a sufficient quantity of crospovidone (water-insoluble concentration-enhancing additive), 18.000 mg hydroxypropylmethyl cellulose 2910 (binder), 90.000 mg low substituted hydroxypropyl cellulose (disintegrant), 18.000 mg talc (lubricant), and 1.200 mg magnesium stearate (lubricant). The JTT-705 used in the pharmaceutical compositions described in Exhibits A and B was crystalline. The weight ratio of the JTT-705 (cholesteryl ester transfer protein inhibitor) to the crospovidone (water-insoluble concentration-enhancing additive) in both the 100 mg and 300 mg dosage tables was about 2.5:1. These tablets are the 100 mg and 300 mg dosage tablets described in Examples of the above-identified patent application (see especially Example 1, paragraphs 0118 and 0119).
- 6. I hereby declare that all statements made herein of my own knowledge are true, that all statements made on information and belief are believed to be true, that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Date: March 28, 2011

Yoshifumi Uemoto

¹ Sufficient quantity is calculated as follows:

⁽Granulation weight) – (JTT-705 API weight) – (hydroxypropylmethyl cellulose 2910 weight) = (weight of crospovidone)

EXHIBIT A

日本たばこ産業株式会社

医粟総合研究所 製剂研究所 承認·製造管理責任者

治験薬製造指図書·製造記録書





作成·作業者

REDACTED

品 名 .	JTT-705錠 100mg	製品標準書番号	REDACTED		
ロット番号	REDACTED	包装要領書番号	REDACTED		
バッチサイズ	REDACTED	製造指図書番号	REDACTED		
製造年月日	REDACTED	製造依頼年月日	2 REDACTED		
		製造依頼番号	'_ REDACTED		
		使用目的	REDACTED		

原一体(但論量)是企業分別					
原料名	製造業者	ロット番号	処方量HG/T	孫準的仕込 益 G/B.	
JTT-705原薬	日本たばこ産業開	K	100.000	450.0	
クロスポピドン	BASF	04-9180	通报	遊戲	
ヒト・ロキシフ・ロビ・ルノチルセルロース2910	信越化学附	901041	6.000	27.0	
造粒末	-		145, 933	656. 7	:
乳糖 (ダイラクトース R)	フロイント産業 (株)	990111	116. 747	. 525.4	•
結晶セルロース	旭化成工業 (株)	28B1	.175. 120	788. 0	
任置换度"th' Dit' Nt NO D-X	個越化学㈱	805222	90.000	405.0	
JN7	松村産業制	0224	18. 000	.81, 0	`
ステアリン酸マグネシウム	太平化学産業期	98122101	1. 200	. 5.4	
計			547.000	2461.5	
	,			1	

包装仕様

REDACTED

保存条件

REDACTED

ラベル見本

出来高明細

REDACTED

REDACTED

備考

MANAGEMENT COLUMN COLUM					armaceutica	Japan Tobacco, Inc. I Research Institute,
			Persons in charge of preparation procedu	•	Approved l	opment Laboratories by manager of ing control,
Manufacturing instruinvestigational drug		or	Seals of Uemoto and Hirahara, REDACTED	1	Seal of Sun REDACTI	
Product name J	TT-705 tablet, 100 mg	No. of product master	er	REDACTED		
Lot No.	REDACTE	No. of packaging pro	ocedure	RI	EDACTED	
Batch size	REDACTE	ED .	No. of manufacturin	g	REDACTED	
Manufacturing date	REDACTE	D	The date of manufactories	turing	REDACTED	
CONTRACTOR DE LA CONTRACTOR DE LA CONTRACTOR DE CONTRACTOR DE LA CONTRACTOR DE CONTRAC			No. of manufacturin	g order	RI	EDACTED
***************************************			REDACTE	D	RI	EDACTED
					i i kalendari	
Components and compositi Raw material name	Manufacturer	Lot No.	Weight per tablet MG/T	Amount po	er batch	Negotingstern ein guber in de
JTT-705 API	Japan Tobacco, Inc.	K	100.000		450.0	
Crospovidone	BASF	04-9180	Sufficient quantity	Sufficien	t quantity	
Hydroxypropyl methylcellulose 2910	Shinetsu Chemical	901041	6.000		27.0	
Granulation weight	_	_	145.933		656.7	
Lactose (Dilactose R)	Froint Industry	990111	116.747		525.4	
Microcrystalline cellulose	Asahi Chemical	28B1	175.120		788.0	
Low substituted hydroxypropylcellulose	Shinetsu Chemical	805222	90.000		405.0	
Talc	Matsumura Industry	0224	18.000		81.0	· · · · · · · · · · · · · · · · · · ·
Magnesium stearate	Taihei Chemical Industry	98122101	1.200		5.4	
Total weight			547.000		2461.5	
Packing specification		RED	ACTED			,
Storage condition			ACTED			

Description	Production results, detailed	
REDACTED	REDACTED	
Note		

EXHIBIT B

						RED	ACTED	() () () ()	EDACTED
品名	JTT-705錠			製品標準	書番号	3	REDAC		
ロット番号	RE	٠.	包装要領書番号			REDACTED			
パッチザイズ	RE	DACTED		製造指図書番号			REDACTED		
バッチ数	RE	DACTED		製造依頼年月日		REDACTED			
製造年月日	RE	DACTED		製造依頼	番号	1	REDAC	CTED	
	<u> </u>	· · · · · · · · · · · · · · · · · · ·		使用目的			REDACTED		
		(4877) = 1 (4877) = 1 (4877)	22.00 To \$ 5.00 To \$				Language Committee	18.00	
(四) (理) (理) (理) (证)				18.0					
原料名		製造業者	ע דו	ノ / 番号	処方量	NG/T	標準的性認定	#G/B	提出这推G/Tot
777-705原薬		日本たばこ産業開	K··		300, 000		60	00.0	3000.
クロスポビドン		BASF	04-9180		避量			通量	遊.
とト・ロキシブ ロセ・ルメチルセルロース2910		信越化学制	901041		18, 000			16.0	180, 0
造粒末		Finds (Labette)	angana .		437. 800		87	5.6	4378. 0
低置換度とドロキシプロピルセルロース		信越化学開		5222		. 000	. 18	0.0	900.0
ステアリン酸マグネシウム		松村産業制	0224		18		. 3	6.0	180.0
4	TODA	太平化学産業開	98122101		. 1	-		2.4	12.0
					547	000	109	1.0	. 5470.0
				<u> </u>	1	1	_1		
**************************************	·								
L裝仕様						-		-	
	i Marijaja	REDACTED							100
存条件		KEDAGIED.						<u></u>	
	Sacar In	REDACTED			1 1	y .i	¥		
ベル見本		203377107		H来高明細	····	America .	VI.		Maining and the same of the sa
	• • • • • • • • • • • • • • • • • • • •		1) i			
			.						
REDACTED			REDACTED						
						4,5-4			

				Pharmaceutica se of	aceutica l Develo Appro	Japan Tobacco, Inc. Il Research Institute, poment Laboratories oved by manager of facturing control,	
Manufacturing instr investigational drug		or	Seals of Uemoto Hirahara, REDA		1	of Sumani,	
Product name	JTT-705 tablet, 300 mg				REDACTED		
Lot No.	REDACTI	ED	No. of packagin	No. of packaging procedure		REDACTED	
Batch size	REDACTI	ED	No. of manufaction	uring		REDACTED	
Number of batches	REDACT	ED	The date of man	ufacturing		REDACTED	
Manufacturing date	REDACTI	ED	No. of manufact	uring order		REDACTED	
		REDACTED	Intended usage	ourpose		REDACTED	
Components and composi Raw material name	tion (theoretical quantities Manufacturer	s) Lot No.	Weight per tablet	Amount per	hatah	Total amount	
Raw material name	Manufacturer	LOUNO.	MG/T	G/B	Daten	G/Tot.	
JTT-705 API	Japan Tobacco, Inc.	K	300.000		600.0	3000.0	
Crospovidone	BASF	04-9180	Sufficient guantity	Sufficient quantity		Sufficient quantity	
Hydroxypropyl methylcellulose 2910	Shinetsu Chemical	901041	18.000	36.0		180.0	
Granulation weight	_	-	437.800		875.6	4378.0	
Low substituted hydroxypropylcellulose	Shinetsu Chemical	805222	90.000		180.0	900.0	
Talc	Matsumura Industry	0224	18.000		36.0	180.0	
Magnesium stearate	Taihei Chemical Industry	98122101	1.200		2.4	12.0	
Total weight		-	547.000		1094.0	5470.0	
Packing specification		REDA	ACTED				
Storage condition		XUIT	201111				
			ACTED				
Description		Detailed produc					
REDAC	TED	REDA	ACTED				
			*				

Note				
	_			